



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/716,729	11/19/2003	Jozef Brcka	TAZ-240	6314

37694 7590 11/30/2005

WOOD, HERRON & EVANS, LLP (TOKYO ELECTRON)  
2700 CAREW TOWER  
441 VINE STREET  
CINCINNATI, OH 45202

EXAMINER
----------

DHINGRA, RAKESH KUMAR

ART UNIT	PAPER NUMBER
----------	--------------

1763

DATE MAILED: 11/30/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/716,729

Applicant(s)

BRCKA, JOZEF

Examiner

Rakesh K. Dhingra

Art Unit

1763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 19 November 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) 21-25 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☒ Claim(s) 1-25 are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 November 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 03/04, 11/04
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

***Election/Restrictions***

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claim 1-20, drawn to apparatus, classified in class 156, subclass 345.48.
- II. Claim 21-25, drawn to process, classified in class 438, subclass 710

The inventions are distinct, each from the other because of the following reasons:

Inventions II and I are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus specifies an inductively coupled plasma source whereas the process does not specify any specific plasma source and thus could be practiced by a materially different source like capacitive or ECR type plasma source.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Group II, restriction for examination purposes as indicated is proper.

During a telephone conversation with Joseph R. Jordan on 11/18/05 a provisional election was made without traverse to prosecute the invention of Group I (apparatus), claims 1-20. Affirmation of this election must be made by applicant in replying to this

Art Unit: 1763

Office action. Claims 21-25 withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

### ***Drawings***

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description:

Figures 1, 2: Reference number 23c as mentioned in Paragraph 0036, line 1 of specification is not shown in the drawings.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.

1) Claims 17, 20 recite the limitation "dielectric chamber wall" in line 3 of the claims.

There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 1763

2) Claims 16, 17, 19, 20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention as explained below:

Claims 16, 17, 19, 20 recite the limitation "high and low transparency sections of the shield" that are not disclosed in the specification. For the purpose of examination on merits "high and low transparency sections" of the shield have been interpreted as portions of shield with and without slots respectively.

3) Claims 17, 20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention as explained below:

Claims 17, 20 recite the limitation "spatially concentrated conductor segments" and "spatially distributed conductor segments" of the ionization source that are not disclosed in the specification. For the purpose of examination on merits "spatially concentrated conductor segments" and "spatially distributed conductor segments" of the ionization source have been interpreted to mean antenna segments with large and small spacing respectively between the adjacent segments and with axis parallel to the axis of substrate.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**Claims 1-5, 8-10, 13, 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moslehi et al in view of Usui (US patent No. 5,513,765).**

Regarding Claims 1, 8: Moslehi et al teach an inductive plasma apparatus (Figures 4, 6) for a semiconductor wafer processing comprising:

an RF generator 126;

a matching network 128;

a substrate support (chuck) 140;

an ionization source (coil segment) 116 coupled to the substrate support (Column 6, line 65 to Column 10, line 8).

Moslehi et al do not teach substrate support and ionization source (coil) coupled in a series RF circuit and a substrate support capacitively coupled to plasma.

Usai teaches an inductive plasma apparatus (Figures 1-4) that includes a vacuum chamber 1 with inductive plasma coil 2 and parallel electrodes 3, 4 such that both capacitive and inductive plasma are generated within the vacuum chamber. Usai further teaches that the inductive coil 2, substrate support (electrode) 3 are coupled in series (Figure 4) and supplied RF power from power supply 6 through matching circuit 5 (Column 3, line 30 to Column 4, line 15).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use a series RF circuit configuration for substrate support and the ionization source (coil) as taught by Usai in the apparatus of Moslehi et al to obtain plasma with high density and uniformity for large substrates (Column 2, lines 10 – 30).

Art Unit: 1763

Regarding Claim 2: Moslehi et al teach that the ionization source is a coil (inductive element) 116 and have metallic shield 152 (Faraday) with slots 500 (Figures 10A, 10B) for coupling with plasma (Column 8, lines 10-45) and to reduce capacitive coupling.

Regarding Claim 3: Moslehi et teach that coil 116 surrounds the substrate 138 and its position with respect to substrate support can be adjusted by up/down actuation mechanism (Column 9, line 60 to Column 10, line 9).

Regarding Claim 4: Moslehi et al in view of Usai teach all limitations of the claim as explained above.

Regarding Claim 5: Moslehi et al in view of Usai teach all limitations of the claim including that matching network 128 (Moslehi et al – Figures 8A, 8B) is connected to an output of RF generator 126 and the peripheral ionization source (Coil) 116 is capacitively connected at one end thereof to the matching network (through capacitor 160) and is capacitively-coupled to the substrate support surface 140 (Moslehi – Column 9, line 55 to Column 10, line 65).

Regarding Claim 9: Moslehi et al teach that the peripheral ionization source (coil) 116 is capacitively-coupled (inherently) to the substrate support surface 140; and the matching network 128 has impedances (variable capacitors) 160 in series with the peripheral ionization source (coil) 116 that are approximately tuned to the frequency of the RF generator 126 (Column 10, lines 45-65).

Regarding Claim 10: Moslehi et al teach that coil 116 is configured to inductively couple RF energy into plasma and it forms a high density plasma that can be configured as

Art Unit: 1763

required by adjustable height of the coil 116 with respect to substrate 138 and by using desired shape of the coil (Column 7, lines 15-50 and Column 10, lines 1-7).

Regarding Claim 13: Moslehi et al in view of Usai teach all limitations of the claim as explained above.

Regarding Claim 14: Moslehi et al teach all limitations of the claim as explained above and also that peripheral ionization source (coil) 116 includes individual inductive elements (coils) that are connected in series through mutual stray capacitance since all the inductive elements of the coil are grounded (Figures 8A, 8B and Column 11, lines 1-10).

**Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Moslehi et al in view of Usui (US patent No. 5,513,765) as applied to claim 1 and further in view of Denda et al (US Patent No. 6,440,260).**

Regarding Claim 6: Moslehi et al in view of Usai teach all limitations of the claim including that coil 116 is capacitively coupled to substrate support as explained above and is capacitively coupled to chamber ground through capacitor 162 (Figure 8A).'

Moslehi et al in view of Usai do not teach matching network is capacitively coupled to substrate support surface.

Denda et al teach an apparatus (Figure 1) that includes a reaction chamber 18 with substrate support 22 connected to RF power source 28 via a matching network 30 through blocking capacitor 32 (Column 4, lines 20-45).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to connect matching network to substrate support by capacitive coupling



Art Unit: 1763

(using a blocking capacitor) as taught by Denda et al in the apparatus of Moslehi et al in view of Usai to smooth the power applied to the substrate support.

**Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Moslehi et al in view of Usui (US patent No. 5,513,765) as applied to claim 1 and further in view of Dible et al (US Patent No. 6,042,686).**

Regarding Claim 7: Moslehi et al in view of Usai teach all limitations of the claim except that the substrate support is an electrostatic chuck.

Dible et al teach an apparatus (Figure 1(a) that includes a substrate support 2 with electrostatic clamping system and connected to RF power source 16 through a capacitor Cd (Column 4, line 45 to Column 5, line 30).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use an electrostatic chuck to support the substrate support as taught by Dible et al in the apparatus of Moslehi et al in view of Usai to enable proper wafer clamping and uniform processing from center to edge of wafer (Column 5, lines 5-12).

**Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Moslehi et al in view of Usui (US patent No. 5,513,765) as applied to claim 1 and further in view of Liu et al (US PG Pub. No. 2002/0027205).**

Regarding Claim 11: Moslehi et al in view of Usai teach all limitations of the claim as explained above including that matching network 128 has an input end and an output end and that it comprises of inductor [Figures 8A, 8B, Column 7, lines 40-43 and Column 11, lines 10-25].

Art Unit: 1763

Moslehi et al in view of Usai do not teach that the matching network includes an inductor connected in series and is connected to the (coil) ionization source in series.

Liu et al teach an apparatus (Figure 7) that includes a matching network 50 that has an inductor 125 connected in series between input and output ends and the inductor 125 is connected in series with antenna (coils) 46 (Paragraph 0014).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use matching network with inductor and connected to ionization source in series as taught by Liu et al in the apparatus of Moslehi et al in view of Usai to minimize reflective power and provide proper coupling current to the coil.

**Claims 12, 15-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moslehi et al in view of Usui (US patent No. 5,513,765) as applied to claim 1 and further in view of Pu et al (US Patent No. 6,825,618).**

Regarding Claim 12: Moslehi et al in view of Usai teach all limitations of the claim as explained above including that matching network 128 has an input end and an output end and that it comprises of inductor [Figures 8A, 8B, Column 7, lines 40-43 and Column 11, lines 10-25].

Moslehi et al in view of Usai do not teach that the matching network includes an inductor connected in series and is connected to the (coil) ionization source in parallel.

Pu et al teach an apparatus (Figure 8) that includes a matching network 31 that has an inductor 93 connected in series between input and output ends and the inductor 93 is connected in series with ionization source (coils 40, 42) [Column 12, lines 25-45].

Art Unit: 1763

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use matching network with inductor that is connected to ionization source in parallel as taught by Pu et al in the apparatus of Moslehi et al in view of Usai to minimize sputtering of chamber lid by ions from the plasma (Column 12, lines 47-55).

Regarding Claim 15: Moslehi et al in view of Usai and Pu et al teach (Pu et al - Figures 1-3, 9) an ionization source (coil) configuration that has alternating coil segments 40, 42 arranged in a ring positioned to couple power in an annular alternating low and high power distribution. Pu et al also teach that these coils can also be mounted inside the chamber (Figure 9, Column 13, lines 10-25 and Column 2, lines 45-50).

Regarding Claim 16: Pu et al teach that a Faraday shield can be mounted between induction coil array and chamber interior to reduce capacitive coupling (Pu et al - Column 12, lines 59-63). Further Moslehi et al teach that shield 153 is a slotted shield and shape and dimensions of slots can be changed as per size of ionization source (coil) segments (Moslehi et al - Column 12, lines 5-25).

In this connection courts have ruled (Case Law):

*"It was held in re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966) that the shape was a matter of choice which a person of ordinary skill in the art would have found obvious absent persuasive evidence that the particular shape was significant. (Also see MPEP 2144.04(d))."*

Regarding Claim 17: Moslehi et al in view of Pu et al teach all limitations of the claim as explained above and also teach that the ionization source is an antenna and it is possible for antenna/coil to have segments in various configurations/shapes as

Art Unit: 1763

required. Further Moslehi et al also teach that shield 152, can have slots whose shape and dimensions can be varied as needed to match with the antenna configuration to minimize sputtering on the shield (Moslehi et al – Column 7 line 15 to Column 8, line 12 and Column 12, lines 25-45 and Column 13, line 34 to Column 14, line 40 and Column 17, line 30 to Column 18, line 20; and Pu et al – Column 16, lines 5-20).

In this connection courts have ruled (Case Law):

*"It was held in re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966) that the shape was a matter of choice which a person of ordinary skill in the art would have found obvious absent persuasive evidence that the particular shape was significant. (Also see MPEP 2144.04(d))."*

Regarding Claims 18-20: Moslehi et al in view of Pu et al teach all limitations of the claims as explained above.

### ***Double Patenting***

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Art Unit: 1763

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 15-20 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-8 of copending Application No. 10/717,268 in view of Moslehi et al (US Patent No. 6,471,830) and Usai (US Patent No. 5,513,765).

This is a provisional obviousness-type double patenting rejection.

Although the conflicting claims are not identical they are not patentably distinct from each other because particularly claims 15-20 of the present application are essentially the same as claims 1-3, 5, 6, 8 of the copending application except that the application under examination has additional limitations of a) peripheral ionization source being coupled to substrate support inside the chamber and b) peripheral ionization source is coupled to substrate support and also forms a series circuit with it. Moslehi et al teach an inductive plasma apparatus (Figures 4, 6) for a semiconductor wafer processing comprising:

an RF generator 126;

a matching network 128;

a substrate support (chuck)140;

an ionization source (coil segment) 116 coupled to the substrate support in the chamber (Column 6, line 65 to Column 10, line 8).

Moslehi et al do not teach substrate support and ionization source (coil) coupled in a series RF circuit and a substrate support capacitively coupled to plasma.

Art Unit: 1763

Usai teaches a plasma apparatus (Figures 1-4) that includes a vacuum chamber 1 with inductive plasma coil 2 and parallel electrodes 3, 4 such that both capacitive and inductive plasma are generated within the vacuum chamber. Usai further teaches that the inductive coil 2, substrate support (electrode) 3 are coupled in series (Figure 4) and are being supplied RF power from power supply 6 through matching circuit 5 (Column 3, line 30 to Column 4, line 15).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use an ionization source inside the process chamber and coupled with substrate support and connected in a series circuit configuration as taught by Usai and Moslehi et al to obtain plasma with high density and uniformity for large substrates (Usai- Column 2, lines 10 – 30).

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

**Tanaka et al (US Patent No. 6,210,539)** teach a plasma apparatus (Figure 1) that has a plasma chamber 1 with a shield 2 and where the chamber further includes a substrate support section 7 surrounded by a coil 20 that generates and maintains plasma.

**Shan et al (US PG Pub. No. 2002/0101167)** teach a plasma apparatus (Figure 1) that includes a wafer pedestal that maintains a capacitive plasma and an inductive power applicator 125 in the chamber that creates uniform dense inductive plasma.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rakesh K. Dhingra whose telephone number is (571)-272-5959. The examiner can normally be reached on 8:30 -6:00 (Monday - Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Parviz Hassanzadeh can be reached on (571)-272-1435. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Rakesh Dhingra



Parviz Hassanzadeh  
Supervisory Patent Examiner  
Art Unit 1763